Guidelines for diabetes management

► Continued from page 145

the results into a single point estimate with confidence intervals for both beneficial and adverse effects.

For example, the meta-analysis of 16 RCTs² on glycaemic control showed a significant reduction in progression of retinopathy with near normal glycaemic control over 2-5 years. This finding was summarised as an odds ratio of 0.49 with 95 per cent confidence interval of 0.28-0.85 ($p=0.011$)².

Where results cannot be combined to quantify the strength of the evidence, the reason for this should be explained and the results of each study should be presented separately.

8. Standardised expression of the evidence

Evidence should be incorporated in guidelines in a standardised form. For example, the evidence for the diabetes guidelines includes:

- a summary statement of the results of studies which contributed evidence;
- a brief description of the search strategy used in identifying the relevant literature;
- a statement on the quality of the evidence, both from epidemiological and content-based perspectives;
- the assessed benefits and adverse effects;
- a conclusion, with recommendations for future research if needed; and
- references.

CONCLUSION

The eight steps described above make up a systematic method for incorporating evidence into guidelines for the clinical management of diabetes. This method can be applied to other content areas. By making the method explicit, the quality of evidence for diabetes guidelines can be assessed. For the guidelines to reflect current evidence, ongoing review is necessary.

ACKNOWLEDGMENTS

The contributions of Les Irwig, Lyn March, Anne Chamberlain, Stephen Colagiuri, Steven Boyages, Dennis Yue, Lesley Campbell, Robert Moses and Ruth Colagiuri are greatly appreciated.

1. Draft Interim Report – A health outcomes approach to diabetes. Chronic Diseases Unit, Public Health Division, NSW Health Department. Sydney, April 1995.
2. Wang P, Lau J, Chalmers T. Meta-analysis of the effects of intensive glycaemic control on late complications of type 1 diabetes mellitus. *Online J Curr Clin Trials* 1993; May 21; No 60.
3. The Diabetes Control and Complications Trial Research Group. The effect of intensive treatment of diabetes on the development and progression of long-term complications in insulin-dependent diabetes mellitus. *New Engl J Med* 1993; 329:977-86.
4. Irwig L, Liddle J, Williamson M. Evaluation checklist for evidence-based guidelines. NSW Health Department. Sydney, May 1995.
5. Moher D, Jadad A, Nichol G, Penman M, Tugwell P, Walsh S. Assessing the quality of randomised controlled trials: an annotated bibliography of scales and checklists. *Controlled Clinical Trials* 1995; 16:62-73.

WAITING LIST REDUCTION PROGRAM: RESULTS TO NOVEMBER 1995

Nick Shirraev and Jean McGarry
Performance Management Division
NSW Health Department

The October and November 1995 issues of the *NSW Public Health Bulletin* contained progress reports on the Waiting List Reduction Program^{1,2}. This article describes the current status of the Program with results to the end of November 1995.

The Program was introduced to improve access to elective surgery in NSW public hospitals. The aim is to reduce the March 31, 1995 elective surgery waiting lists by 50 per cent within 12 months, concentrating on people who have been waiting more than six months for admission.

It has been a long-term practice of the NSW Health Department to categorise medical and surgical patients by clinical urgency. This helps to ensure they receive the best care in the most timely manner.

The clinical categories are:

- Emergency: emergency patients, who are treated immediately;
- Urgency 1: patients who need hospitalisation within one week;
- Urgency 2: patients who need hospitalisation within one month;
- Urgency 3: other patients who are ready for care; and
- Urgency 4: patients who are not ready for care, either for medical reasons (staged patients) or social or personal reasons (deferred patients), and who are therefore not an immediate demand on the public hospital system. (This classification of patients does not mean they lose their place on the hospital queue.)

Unless otherwise stated, the results outlined below refer to Urgency 1, 2 and 3 patients.

RESULTS

By November 30, 1995 the elective surgery waiting list had decreased from the March 31 figure of 44,707 to 24,701 patients (a reduction of 20,006 patients or 45 per cent).

Three Area and 10 District Health Services had achieved at least a 50 per cent reduction in the number of patients on elective surgery waiting lists (Table 3).

The vascular surgery list declined by 69 per cent. Urology declined by 55 per cent. Other notable reductions were obtained in ear, nose and throat surgery (down 41 per cent), general surgery (down 47 per cent), gynaecology (down 43 per cent), ophthalmology (down 46 per cent) and other surgery (down 75 per cent). Major decreases in list numbers were recorded for all clinical specialties. Expected waiting times were more than halved for ophthalmology and vascular surgery.

Particularly significant were reductions in numbers of people waiting longer than six months for procedures such

Continued on page 148 ►

TABLE 3

REDUCTIONS IN WAITING LISTS BY AREA AND DISTRICT HEALTH SERVICE, MARCH TO NOVEMBER, 1995

Area/District/Institution	Number on list		Total reduction	
	March 31, 1995	November 30, 1995	Number	%
Central Sydney	2,779	1,389	-1,390	-50.0
Northern Sydney	2,708	1,491	-1,217	-44.9
Western Sydney	4,650	1,925	-2,725	-58.6
Wentworth	2,122	1,257	-865	-40.8
South West Sydney	4,514	2,690	-1,824	-40.4
Central Coast	2,317	1,366	-951	-41.0
Hunter	4,178	2,867	-1,311	-31.4
Illawarra	2,778	1,786	-992	-35.7
South Eastern Sydney	7,190	3,620	-3,570	-49.7
Royal Alexandra Hospital	792	591	-201	-25.4
Barwon	43	5	-38	-88.4
Castlereagh	51	-	-51	-100.0
Central Western	588	394	-194	-33.0
Clarence	199	19	-180	-90.5
Evans	330	191	-139	-42.1
Far West	204	136	-68	-33.3
Hume	413	159	-254	-61.5
Lachlan	111	53	-58	-52.3
Lower North Coast	1,071	603	-468	-43.7
Macleay-Hastings	385	129	-256	-66.5
Macquarie	813	497	-316	-38.9
Mid North Coast	887	485	-402	-45.3
Monaro	59	40	-19	-32.2
Murray	16	12	-4	-25.0
Murrumbidgee	-	-	-	0.0
New England	404	207	-197	-48.8
North West	1,213	527	-686	-56.6
Orana	33	10	-23	-69.7
Richmond	681	346	-335	-49.2
Riverina	1,276	681	-595	-46.6
South Coast	89	7	-82	-92.1
Southern Tablelands	187	74	-113	-60.4
Tweed Valley	824	452	-372	-45.1
Port Macquarie Base Hospital	802	692	-110	-13.7
New South Wales	44,707	24,701	-20,006	-44.7

Source: Department of Health Reporting System, December 12, 1995

• Excludes list transfers. List transfers, in general, are an administrative change and not a change in local demand. They are therefore not taken into account when estimating changes in the number of patients on a list.

Waiting lists: results to November

► Continued from page 147

as cholecystectomy (down by 224 or 76 per cent), cataract extraction (down by 864 or 71 per cent), tonsillectomy (down by 476 or 76 per cent), varicose vein stripping and ligation (down by 357 or 85 per cent), arthroscopy (down by 336 or 54 per cent), and total hip replacement (down by 93 or 52 per cent).

The total number of patients waiting more than 12 months fell by 72 per cent to 637. The number of patients waiting 6-12 months fell by 67 per cent to 2,132. The reduction by about 6,000 patients waiting longer than six months has been one of the most significant effects of the Program (Table 4).

Expected waiting time has diminished by three weeks to 33 days. This is a reduction of more than 60 per cent on the March figure, and is the lowest expected waiting time for elective surgery since record collection began in 1989. The average time on list has declined by more than five weeks to 2.3 months (Table 5).

Elective surgery admissions between April and November 1995 increased by almost 20,000 or 11.6 per cent over the corresponding period in 1994. This is likely to be an underestimate because, in mid-1994, a large number of medical procedures, such as endoscopies and chemotherapy, were erroneously being coded as surgery.

The number of Urgency 4 patients increased consistently from the quarter ending on September 30, 1994 to the quarter ending on September 30, 1995 (five quarters). In the quarter ending on September 30, 1995 there were 9,527 Urgency 4 elective surgery patients, an increase of almost 1,400 over the quarter ending on June 30, 1995. This was an increase of almost 1,900 over the quarter ending on March 31, 1995 (Table 6).

COMMENTS

The number of Urgency 4 patients (medical and surgical) has been rising over the period waiting list records have been kept. The current increase reflects improvements in the quality of clinical information supplied to hospitals, with improved implementation of waiting list audit policy and a greater understanding by clinicians and administrators of

TABLE 4

REDUCTIONS IN PATIENTS ON AREA AND DISTRICT WAITING LISTS, NOVEMBER, 1995
PATIENTS WAITING LONGER THAN SIX MONTHS

Area/District/Institution	NUMBER ON LIST							
	Waiting 6-12 months				Waiting > 12 months			
	Reduction				Reduction			
	Mar 31, 1995	Nov 30, 1995	Number	%	Mar 31, 1995	Nov 30, 1995	Number	%
Central Sydney	116	10	-106	-91	15	-	-15	-100
Northern Sydney	404	102	-302	-75	173	94	-79	-46
Western Sydney	836	143	-693	-83	295	56	-239	-81
Wentworth	340	86	-254	-75	293	55	-238	-81
South West Sydney	555	229	-326	-59	191	85	-106	-55
Central Coast	398	230	-168	-42	107	20	-87	-81
Hunter	768	343	-425	-55	179	68	-111	-62
Illawarra	463	170	-293	-63	173	70	-103	-60
South Eastern Sydney	1,150	320	-830	-72	559	124	-435	-78
Royal Alexandra Hospital	25	12	-13	-52	11	-	-11	-100
Barwon	-	-	-	-	-	-	-	-
Castlereagh	-	8	8	-	-	-	-	-
Central Western	80	35	-45	-56	8	1	-7	-88
Clarence	1	-	-1	-100	-	-	-	-
Evans	2	-	-2	-100	-	-	-	-
Far West	1	-	-1	-100	-	-	-	-
Hume	25	1	-24	-96	4	-	-4	-100
Lachlan	13	-	-13	-100	-	-	-	-
Lower North Coast	207	95	-112	-54	52	-	-52	-100
Macleay-Hastings	101	4	-97	-96	46	-	-46	-100
Macquarie	164	49	-115	-70	41	24	17	-41
Mid North Coast	150	26	-124	-83	4	-	-4	-100
Monaro	-	-	-	-	-	-	-	-
Murray	-	-	-	-	-	-	-	-
Murrumbidgee	-	1	1	-	-	-	-	-
New England	26	-	-26	-100	1	-	-1	-100
North West	169	41	-128	-76	16	1	-15	-94
Orana	4	-	-4	-100	-	-	-	-
Richmond	95	41	-54	-57	1	3	2	200
Riverina	199	46	-153	-77	77	1	-76	-99
South Coast	4	35	31	775	-	-	-	-
Southern Tablelands	1	1	-	-	-	-	-	-
Tweed Valley	79	11	-68	-86	19	-	-19	-100
Port Macquarie Base Hosp	3	93	90	3,000	-	35	35	-
New South Wales	6,379	2,132	-4,247	-67	2,265	637	-1,628	-72

Source: Department of Health Reporting System, December 12, 1995

the management of hospital waiting lists. The Waiting List Reduction Program has provided an impetus for this.

As the Program nears its target of a 50 per cent reduction in elective surgery waiting lists, planning is being directed towards policy on the management of waiting lists and associated incentives. Best practice in the management of elective patients is a key issue for consideration. Future directions will include development and application of appropriate benchmarks to enable monitoring of the management of elective patients (both medical and surgical) and to provide incentives for continuous improvement in this management.

1. Shiraev N, McGarry J. Waiting List Reduction Program: initial results. *NSW Public Health Bulletin* 1995; 6(10):106-109.

2. Shiraev N, McGarry J. Update on the Waiting List Reduction Program. *NSW Public Health Bulletin* 1995; 6(11):128-131.

TABLE 5

VARIATIONS IN WAITING TIMES BY AREA AND DISTRICT HEALTH SERVICE,
MARCH TO NOVEMBER, 1995

Area/District/Institution	WAITING TIMES (months)								
	Expected waiting time			Average waiting time			Average time on list		
	Mar 31, 95	Nov 30, 95	Variation*	Mar 31, 95	Nov 30, 95	Variation*	Mar 31, 95	Nov 30, 95	Variation*
Central Sydney	1.1	0.6	-0.6	1.0	0.9	-0.1	1.5	1.0	-0.5
Northern Sydney	1.3	0.8	-0.4	0.9	0.9	0.0	3.5	2.7	-0.8
Western Sydney	1.9	1.3	-0.6	1.6	1.1	-0.5	4.1	2.1	-1.9
Wentworth	2.6	1.4	-1.2	2.1	2.4	0.3	5.9	2.8	-3.0
South West Sydney	1.7	1.1	-0.6	1.4	1.5	0.1	3.3	2.3	-1.0
Central Coast	2.5	1.8	-0.8	1.9	2.0	0.1	4.0	3.0	-1.0
Hunter	2.0	1.3	-0.7	1.6	1.7	0.1	3.7	2.8	-0.9
Illawarra	2.4	1.3	-1.1	2.3	1.5	-0.8	3.9	2.8	-1.1
South Eastern Sydney	1.7	1.1	-0.6	1.2	1.2	0.0	4.2	2.5	-1.8
Royal Alexandra Hospital	1.3	1.2	-0.2	1.3	1.1	-0.2	1.6	1.1	-0.5
Barwon	0.6	0.1	-0.5	0.5	0.2	-0.3	0.7	0.1	-0.7
Castlereagh	0.6	0.4	-0.2	0.5	0.3	-0.2	0.5	2.4	1.9
Central Western	1.4	1.0	-0.4	1.1	1.5	0.4	2.6	2.0	-0.6
Clarence	1.6	0.9	-0.7	0.4	0.4	0.0	1.9	0.6	-1.3
Evans	0.9	0.6	-0.3	0.8	0.6	-0.2	1.1	0.9	-0.2
Far West	1.4	0.9	-0.5	0.9	1.0	0.1	1.4	1.0	-0.4
Hume	0.8	0.6	-0.3	0.9	0.6	-0.3	2.0	1.0	-1.0
Lachlan	0.9	0.4	-0.5	0.3	0.8	0.5	2.1	0.7	-1.4
Lower North Coast	5.4	1.8	-3.6	3.8	3.2	-0.6	3.8	2.6	-1.2
Macleay-Hastings	2.2	0.8	-1.4	2.1	1.4	-0.7	4.8	1.3	-3.6
Macquarie	2.6	1.5	-1.1	1.5	2.2	0.7	4.0	3.0	-1.0
Mid North Coast	3.5	1.5	-2.0	2.4	1.8	-0.6	2.9	2.0	-0.9
Monaro	0.7	0.5	-0.1	0.9	0.5	-0.4	1.0	0.6	-0.4
Murray	0.6	0.3	-0.3	0.4	0.4	0.0	0.5	0.5	-0.1
Murrumbidgee	0.0	0.9	0.9	0.0	0.5	0.5	0.0	1.2	1.2
New England	1.5	0.7	-0.8	1.6	1.0	-0.6	1.9	0.7	-1.1
North West	2.4	1.1	-1.2	2.0	1.7	-0.3	3.0	2.1	-0.9
Orana	1.6	0.5	-1.1	1.6	2.0	0.4	2.9	2.7	-0.2
Richmond	1.1	0.7	-0.5	1.0	0.8	-0.2	2.2	1.9	-0.4
Riverina	3.0	1.6	-1.4	2.9	2.4	-0.5	3.9	2.1	-1.8
South Coast	0.6	0.9	0.3	0.5	0.5	0.0	1.3	2.2	0.9
Southern Tablelands	1.1	0.9	-0.2	0.9	0.9	0.1	3.3	0.7	-2.6
Tweed Valley	2.9	1.1	-1.8	1.9	1.7	-0.2	3.0	1.4	-1.5
Port Macquarie Base Hosp	3.0	1.7	-1.3	2.0	3.5	1.5	3.0	3.4	0.3
New South Wales	1.8	1.1	-0.7	1.4	1.4	-0.1	3.6	2.3	-1.2

Source: Department of Health Reporting System, December 12, 1995

* Columns may not add because of rounding.

TABLE 6

TOTAL STAGED AND DEFERRED (URGENCY 4) PATIENTS

	Sep 94	Dec 94	Mar 95	June 95	Sep 95
Surgical	5,056	5,775	6,260	8,150	9,527
Medical	1,583	1,956	2,509	2,620	3,032
Total	6,639	7,731	8,769	10,770	12,559

Source: Department of Health Reporting System

NORTHERN SYDNEY PHU ON THE WEB

The Northern Sydney Public Health Unit has just launched its World Wide Web (WWW) page on the Internet. The PHU's WWW page includes information about the PHU, its functions, research projects and staff areas of expertise, and offers access to abstracts from recent publications including *Health from the Harbour to the Hawkesbury: Update 1994*. It also enables the reader to access other public health-related WWW pages around the world. The address (URL) for the PHU's WWW page is <http://www.nsaphu.nsw.gov.au/~jskinner>

The creation of the PHU WWW page has been funded from a Northern Sydney Area Health Service research grant. The WWW page is part of the Health Information Provision Project (HIPP) which seeks to provide health planning and service information in a variety of electronic forms including: the Wide Area Network (WAN), a facsimile service (Faxback 477 9404), and the WWW page. If you would like to receive a bulletin describing the information available as part of HIPP, telephone John Skinner or Terry Black on (02) 477 9186 or 477 9187.