Volume 15, Number S-4 November, 2004

State Health Publication PH 040224

# NSV Public NSW HEAD Working as Health Bulletin Supplement

New South Wales
Adult Health Survey
2003

**NSW DEPARTMENT OF HEALTH** 

### Copyright © NSW Department of Health, November 2004

This work is copyright. It may be reproduced in whole or in part, subject to the inclusion of an acknowledgment of the source and no commercial usage or sale.

State Health Publication No: PH 040224 ISSN 1034 7674

### suggested citation:

Centre for Epidemiology and Research, NSW Department of Health. New South Wales Adult Health Survey 2003. *NSW Public Health Bull* 2004; 15(S-4).

#### produced by:

Centre for Epidemiology and Research Population Health Division NSW Department of Health Locked Mail Bag 961 North Sydney NSW 2059 Australia

Tel: 61 2 9424 5759 Fax: 61 2 9424 5755

further copies of this publication can be obtained by contacting:

Centre for Epidemiology and Research Population Health Division NSW Department of Health Locked Mail Bag 961 North Sydney NSW 2059 Australia

Tel: 61 2 9424 5759 Fax: 61 2 9424 5755

or from the Population Health Division website at:

www.health.nsw.gov.au/public-health/phb/phb.html

The electronic report of the *New South Wales Adult Health Survey 2003*, which contains additional information to that published in this printed report, can be downloaded from the NSW Department of Health website at www.health.nsw.gov.au.



## **CONTENTS**

1	FOREWO	RD	6
2	ACKNOW	LEDGEMENTS	7
3	EXECUTIV	E SUMMARY	8
4	SNAPSHO	T OF ADULT HEALTH, NSW, 2003	10
5	METHODS	5	11
	Table 1: Table 2: Table 3: Map of NSW	Outcome of telephone calls Completed interviews and response rates by health area Completed interviews by language / area health services	12 12 12 14
6	REPRESE	NTATIVENESS OF SAMPLE	15
	Figure 1: Figure 2: Table 4: Figure 3:	Age distribution of unweighted survey sample versus NSW population, Males Age distribution of unweighted survey sample versus NSW population, Females Survey sample size and NSW population, by age and sex Quintile of socioeconomic disadvantage, persons aged 16 years and over,	15 16 16
	Figure 4:	NSW, 2003 Accessibility–Remoteness Index (ARIA) quintile, persons aged 16 years and over, NSW, 2003	17 17
	Figure 5:	Aboriginal or Torres Strait Islander origin, persons aged 16 years and over,	
	Figure 6: Figure 7: Figure 8: Figure 9: Figure 10:	NSW, 2003 Country of birth, persons aged 16 years and over, NSW, 2003 Language spoken at home, persons aged 16 years and over, NSW, 2003 Current employment status, persons aged 16 years and over, NSW, 2003 Highest level of school completed, persons aged 16 years and over, NSW, 2003 Annual haousehold income, persons aged 16 years and over, NSW, 2003	18 19 19 20 20
7	HEALTH E	BEHAVIOURS	21
	Alcohol		21
	Figure 11: Figure 12:	Any alcohol risk drinking by age, persons aged 16 years and over, NSW, 2003 Any alcohol risk drinking by socioeconomic disadvantage score, persons aged 16 years and over, NSW, 2003	22 23
	Figure 13:	Short term alcohol risk in the past four weeks, persons who consume alcohol aged	
	Figure 14:	16 years and over, NSW, 2003 High risk drinking in the past four weeks by age, persons who consume alcohol aged 16 years and over, NSW, 2003	23 24
	Environmental health		
	Figure 15:	Type of water treatment, persons who treat their public water supply aged 16 years and over, NSW, 2003	26
	Figure 16:	Use public water source as usual source of water, by socioeconomic disadvantage score, persons aged 16 years and over, NSW, 2003	26
	Food hand	dling	27
	Figure 17: Figure 18:	Hand washing when preparing raw meat, NSW, 2003 Hand washing with soap when preparing raw meat by age, persons aged 16 years and over, NSW, 2003	28 28

Immunisat	ion	29
Figure 19:	Vaccinated against influenza in the last 12 months by age, persons aged 65 years and over, NSW, 2003	30
Figure 20:	Vaccinated against influenza in the last 12 months by socioeconomic disadvantage, persons aged 65 years and over, NSW, 2003	31
Figure 21:	Vaccinated against pneumococcal disease in the last five years by age, persons aged 65 years and over, NSW, 2003	31
Figure 22:	Vaccinated against pneumococcal disease in the last five years by socioeconomic disadvantage, persons aged 65 years and over, NSW, 2003	32
Injury prev	vention	32
Figure 23: Figure 24:	Fire safety measures in the home, persons aged 16 years and over, NSW, 2003 Homes with a smoke alarm or detector by socioeconomic disadvantage score, persons aged 16 years and over, NSW, 2003	33 34
Nutrition		34
Figure 25:	Recommended daily fruit intake by age, persons aged 16 years and over, NSW, 2003	37
Figure 26:	Recommended daily vegetable intake by age, persons aged 16 years and over, NSW, 2003	37
Figure 27:	Usual use of low fat, reduced fat or skim milk by age, persons aged 16 years and over, NSW, 2003	38
Figure 28:	Frequency of eating chips, french fries, wedges, fried potatoes or crisps, persons aged 16 years and over, NSW, 2003	38
Figure 29:	Frequency of eating breakfast cereal, breads, pasta, rice and noodles, persons aged 16 years and over, NSW, 2003	39
Figure 30:	Frequency of eating processed meat products, persons aged 16 years and over, NSW, 2003	39
Figure 31:	Food insecurity in last 12 months by age, persons aged 16 years and over, NSW, 2003 Food insecurity in last 12 months by socioeconomic disadvantage, persons	40
Figure 32:	aged 16 years and over, NSW, 2003	40
Physical a	ctivity	41
Figure 33: Figure 34:	Adequate physical activity by age, persons aged 16 years and over, NSW, 2003 Adequate physical activity by socioeconomic disadvantage, persons aged	42
Figure 35:	16 years and over, NSW, 2003 Usual transport to work, persons aged 16 years and over, NSW, 2003	42 43
Smoking		43
Figure 36: Figure 37:	Smoking status, persons aged 16 years and over, NSW, 2003 Current daily or occasional smoking by age, persons aged 16 years and over,	45
Figure 38:	NSW, 2003 Intention to quit smoking, persons who smoke aged 16 years and over,	46
Figure 39	NSW, 2003 Smoke free households by socioeconomic disadvantage score, persons aged 16 years and over, NSW, 2003	46 47
Figure 40:	Smoke free cars by age, persons aged 16 years and over, NSW, 2003	47
Figure 41:	Impact of total smoking ban on attendance hotels and licensed bars, persons aged 16 years and over, NSW, 2003	48
Figure 42:	Positive impact of total ban on smoking in hotels and licensed bars by age, persons aged 16 years and over, NSW, 2003	48
Figure 43:	Negative impact of total ban on smoking in hotels and licensed bars by age, persons aged 16 years and over, NSW, 2003	49

8	HEALTH S	TATUS	<b>50</b>
	Self-rated health status		
	Figure 44: Figure 45:	Self-rated health status, persons aged 16 years and over, NSW, 2003 Excellent, very good, or good self-rated health status by age, persons aged	51
	Figure 46: Figure 47:	16 years and over, NSW, 2003 Difficulty doing work or activity, persons aged 16 years and over, NSW, 2003 Bodily pain in the last four weeks, persons aged 16 years and over, NSW, 2003	51 52 52
	Asthma		53
	Figure 48: Figure 49: Figure 50:	Ever diagnosed with asthma by age, persons aged 16 years and over, NSW, 2003 Current asthma by age, persons aged 16 years and over, NSW, 2003 Visited doctor or emergency department for asthma attack in last 4 weeks,	54 55
	Figure 51:	persons aged 16 years and over, NSW, 2003 Written asthma plan by age, persons who currently have asthma aged 16 years and over, NSW, 2003	55 56
	Figure 52:	Level of interference with daily activities in the last four weeks, persons who currently have asthma aged 16 years and over, NSW, 2003	56
	Figure 53:	Moderate to extreme interference with daily activities by age, persons who currently have asthma aged 16 years and over, NSW, 2003	57
	Diabetes		<b>57</b>
	Figure 54 Figure 55	Diabetes or high blood sugar by age, persons aged 16 years and over, NSW, 2003 Diabetes or high blood sugar by socioeconomic disadvantage score, persons aged	58
	A dult in a a	16 years and over, NSW, 2003	59 <b>5</b> 0
	Adult inco		59
	Figure 56:	Incontinence in the last four weeks by age, persons aged 40 years and over, NSW, 2003	60
	Falls		60
	Figure 57: Figure 58:	Fall in the last 12 months by age, persons aged 65 years and over, NSW, 2003 Fall in the last 12 months by socioeconomic disadvantage score, persons aged	61
	Figure 59:	65 years and over, NSW, 2003 Fall requiring medical treatment by age, persons who have fallen in the previous 12 months aged 65 years and over, NSW, 2003	62 62
	Mental hea	ilth	63
	Figure 60:	Psychological distress (Kessler 10) categories, persons aged 16 years and over, NSW, 2003	64
	Figure 61:	High and very high psychological distress by age, persons aged 16 years and over, NSW, 2003	65
	Figure 62:	High and very high psychological distress by socioeconomic disadvantage score, persons aged 16 years and over, NSW, 2003	65
	Figure 63:	Times that physical problems have been the cause of psychological distress in past four weeks, persons with moderate, high or very high psychological distress aged 16 years and over, NSW, 2003	66
	Table 5:	Effect of psychological distress on daily activities in people with moderate, high or very high psychological distress aged 16 years and over, NSW, 2003	66
	Oral health	1	<b>67</b>
	Figure 64: Figure 65: Figure 66:	Time since last dental visit, persons aged 16 years and over, NSW, 2003 All natural teeth missing by age, persons aged 16 years and over, NSW, 2003 All natural teeth missing by socioeconomic disadvantage score, persons aged	68 69
	<b>5</b>	16 years and over, NSW, 2003	69

	Overweigl	ht or obesity	<b>70</b>
	Figure 67: Figure 68: Figure 69:	Body Mass Index (BMI) categories, persons aged 16 years and over, NSW, 2003 Overweight or obesity by age, persons aged 16 years and over, NSW, 2003 Overweight or obesity by socioeconomic disadvantage score, persons aged	71 72
	Figure 70: Figure 71:	16 years and over, NSW, 2003 Obesity by age, persons aged 16 years and over, NSW, 2003 Obesity by socioeconomic disadvantage score, persons aged 16 years and over,	72 72
		NSW, 2003	73
9	HEALTH S	SERVICES	74
	Difficulties getting health care		
	Figure 72	Health services attended in the last 12 months, persons aged 16 years and over, NSW, 2003	74
	Figure 73:	Difficulties getting health care when needing it by age, persons aged 16 years and over, NSW, 2003	75
	Figure 74:	Difficulties getting health care when needing it by socioeconomic disadvantage score, persons aged 16 years and over, NSW, 2003	75
	Figure 75:	Types of difficulties getting health care when needing it, persons aged 16 years and over, NSW, 2003	76
	Emergend	cy departments	76
	Figure 76:	Emergency department attendance in the previous 12 months by socioeconomic disadvantage score, persons aged 16 years and over, NSW, 2003	77
	Figure 77:	Emergency department care rated as excellent, very good, or good by age, persons who attended an emergency department in the previous 12 months aged 16 years and over, NSW, 2003	78
	Figure 78:	Reason for rating most recent emergency visit as fair or poor, persons who attended an emergency department in the previous 12 months aged 16 years and over, NSW, 2003	78
	Hospital a	ndmissions	<b>79</b>
	Figure 79:	Hospital admission in the previous 12 months by age, persons aged 16 years and over, NSW, 2003	80
	Figure 80:	Hospital care ratings, persons who attended hospital in the previous 12 months aged 16 years and over, NSW, 2003	80
	Figure 81: Figure 82:	Reason for rating most recent overnight hospital stay as fair or poor, persons who attended hospital in the previous 12 months aged 16 years and over, NSW, 2003 Adequacy of discharge advice for most recent overnight hospital stay, persons who	81
		attended a public hospital in the previous 12 months aged 16 years and over, NSW, 2003	81
	Communi	ty health centres	82
	Figure 83:	Community health centre attendance in the previous 12 months by age, persons	
	Figure 84:	aged 16 years and over, NSW, 2003 Community health centre care ratings, persons who attended a community health	83
	Figure 85:	centre in the previous 12 months aged 16 years and over, NSW, 2003 Reason for rating most recent community health centre visit as fair or poor, persons who attended a community health centre in the previous 12 months aged 16 years	83
	Figure 86:	and over, NSW, 2003 Adequacy of discharge advice for most recent community health centre visit,	84
		persons who attended a community health centre in the previous 12 months aged 16 years and over, NSW, 2003	84

	Public den	tal services	85
	Figure 87:	Public dental service attendance in the previous 12 months by age, persons aged 16 years and over, NSW, 2003	86
	Figure 88:	Public dental service care ratings, persons who attended a public dental service in the previous 12 months, aged 16 years and over, NSW, 2003	86
	Figure 89:	Public dental service care rated as excellent, very good or good by age, persons aged 16 years and over, NSW, 2003	87
	Figure 90:	Reason for rating most recent public dental service visit as fair or poor, persons who attended a public dental service in the previous 12 months aged 16 years and over, NSW, 2003	87
	Figure 91:	Adequacy of discharge advice for most recent public dental service visit, persons who attended a public dental service in the previous 12 months aged 16 years and over, NSW, 2003	88
10	SOCIAL C	APITAL	89
	Figure 92: Figure 93:	Participate in the local community, persons aged 16 years and over, NSW, 2003 Attended a community event at least once in the last six months, by age, persons	91
	Figure 94:	aged 16 years and over, NSW, 2003 Attended a community event at least once in the last six months, by socioeconomic disadvantage score, persons aged 16 years and over, NSW, 2003	92 92
	Figure 95: Figure 96: Figure 97:	Trust and safety in local area, persons aged 16 years and over, NSW, 2003  Most people can be trusted, by age, persons aged 16 years and over, NSW, 2003  Most people can be trusted, by socioeconomic disadvantage score, persons aged	93 93
	Figure 98: Figure 99:	16 years and over, NSW, 2003 Reciprocity–social engagement, persons aged 16 years and over, NSW, 2003 Visit neighbours, by age, persons aged 16 years and over, NSW, 2003	94 94 95
	Figure 100:	Visit neighbours, by socioeconomic disadvantage score, persons aged 16 years and over, NSW, 2003	95
11	CONCLUSION		96
	Table 6: Table 7: Table 8:	Trends in indicators of health behaviours, by sex, NSW, 1997–2003 Trends in indicators of health status, by sex, NSW, 1997–2003 Trends in indicators of use and satisfaction with health services, by sex,	98 99
	Table 9:	NSW, 1997–2003 Trends in indicators of social capital, by sex, NSW, 1997–2003	100 101
12	OUESTION	N MODIJI ES	102